



The Veritas Farms

1512 E. Broward Blvd #300
Ft. Lauderdale, Florida 33301
www.theveritasfarms.com




600mg Sports Cream 2oz Lotion-VF Stock-SKU 50-0202 (SC6008111A exp 02/24)

Order ID#:	20210816-1088	Lab Code#:	LC-20210816-2831
Product Type:	Topical	Date sampled:	12-Aug-2021
Lot Number:	SC6008111A exp 02/24	Date received:	17-Aug-2021
Batch Number:	L-600mg-2oz-SC-08.10.21	Completed:	27-Aug-2021
		Report expires:	27-Aug-2022

SAFETY ANALYSIS

Microbials PASS	Mycotoxins PASS	Pesticides PASS	Metals PASS	Solvents PASS
----------------------------------	----------------------------------	----------------------------------	------------------------------	--------------------------------

CANNABINOID PROFILE



Fill Weight (g)
57

Total THC
Pass

TOP TERPENES PROFILE (ppm)



Terpene	Result (ppm)	Result (%)
Geraniol	1007.0	0.10070
Nerolidol 1	26.89	0.00269
<i>β</i> -Caryophyllene	12.76	0.00128
Isopulegol	10.62	0.00106
Linalool	7.12	0.00071
Caryophyllene-oxide	6.51	0.00065

FILTH AND FOREIGN MATERIAL

PASS

Analysis Batch: WO-21081707
Analysis Date: 18-Aug-2021
Instrument: Microscope I-39

WATER DETERMINATIONS

Analysis Batch: WO-21081708
Analysis Date: 17-Aug-2021
Result: 0.9724
Instrument: I40

Water activity	% Moisture
0.9724	38.41%

Comments:

None.

Authorization



Digitally signed by Steven Perez - ALLC
DN: cn=Steven Perez - ALLC,
o=Americanna Laboratories, LLC, ou,
email=sperez@americannalab.com, c=US
Date: 2021.08.27 20:23:33 -0400

Steven Perez, Laboratory Director
Approval Date: 27-Aug-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

CANNABINOIDS

Analyte	%	mg/g	mg/unit	LOD (%)
THCA-A	ND	ND	ND	0.0006
Δ9-THC	0.0266	0.2658	15.15	0.0006
CBDA	ND	ND	ND	0.0006
CBD	0.936	9.364	533.7	0.0006
CBN	ND	ND	ND	0.0006
CBDV	ND	ND	ND	0.0006
Δ8-THC	ND	ND	ND	0.0006
THCV	ND	ND	ND	0.0006
CBG	0.0441	0.4412	25.15	0.0006
CBGA	ND	ND	ND	0.0006
CBC	0.0241	0.2405	13.71	0.0006

Total THC^a 0.27 mg/g
0.027% **PASS**

Total CBD^b 9 mg/g
534 mg/unit

TOTAL^c 10.3 mg/g
588 mg/unit

Analysis Batch: WO-21081701
Analysis Date: Thursday, August 19, 2021
Test Method: SOP 6.6 (HPLC)
Instrument: Agilent HPLC Instrument 33

^a Total THC is calculated as THC + (THCA × 0.877).
^b Total CBD is calculated as CBD + (CBDA × 0.877).
^c Total cannabinoids is the absolute sum of all cannabinoids above the level of detection.

TERPENES

Analyte	Result (µg/g)	Result (%)
α-Bisabolol	6.060	0.00061
α-Humulene	6.040	0.00060
α-Pinene	2.520	0.00025
α-Terpinene	3.120	0.00031
β-Caryophyllene	12.76	0.00128
β-Myrcene	3.720	0.00037
β-Ocimene 1	1.770	0.00018
β-Ocimene 2	ND	ND
β-Pinene	2.380	0.00024
Camphene	ND	ND
Caryophyllene-oxide	6.510	0.00065
δ-3-Carene	2.320	0.00023

LOD = 0.0002%

Analysis Batch: WO-21081706
Analysis Date: Friday, August 20, 2021

Analyte	Result (µg/g)	Result (%)
D-Limonene	2.170	0.00022
Eucalyptol	3.610	0.00036
γ-Terpinene	2.550	0.00026
Geraniol	1007	0.10070
Guaiol	ND	ND
Isopulegol	10.62	0.00106
Linalool	7.120	0.00071
Nerolidol 1	26.89	0.00269
Nerolidol 2	ND	ND
p-Cymene	0.1700	0.00002
Terpinolene	2.740	0.00027

Total Terpenes: 1110.02 0.1110
Total (µg/unit): 63271.14

Test Method: SOP 6.9
Instrument: Agilent GC-FID/MS, Instrument 36

Comments:

None.

Authorization



Digitally signed by Steven Perez - ALLC
DN: cn=Steven Perez - ALLC,
o=Americanna Laboratories, LLC, ou,
email=sperez@americannalab.com, c=US
Date: 2021.08.27 20:23:50 -0400'

Steven Perez, Laboratory Director
Approval Date: 27-Aug-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

PESTICIDES

Analyte	Action Level	Result (µg/g)
Abamectin	0.30	ND - Pass
Acephate	3.00	ND - Pass
Acequinocyl	2.00	ND - Pass
Acetamiprid	3.00	ND - Pass
Aldicarb	0.10	ND - Pass
Azoxystrobin	3.00	ND - Pass
Bifenazate	3.00	ND - Pass
Bifenthrin*	0.50	ND - Pass
Boscalid*	3.00	ND - Pass
Captan	3.00	ND - Pass
Carbaryl	0.50	ND - Pass
Carbofuran	0.10	ND - Pass
Chlorantraniliprole	3.00	ND - Pass
Chlordane*	0.10	ND - Pass
Chlorfenapyr	0.05	ND - Pass
Chlormequat chloride	3.00	ND - Pass
Chlorpyrifos*	0.10	ND - Pass
Clofentezine	0.50	ND - Pass
Coumaphos	0.10	ND - Pass
Cyfluthrin*	1.00	ND - Pass
Cypermethrin*	1.00	ND - Pass
Daminozide	0.10	ND - Pass
Diazinon	0.20	ND - Pass
Dichlorvos	0.10	ND - Pass
Dimethoate	0.10	ND - Pass
Dimethomorph (I/II)	3.00	ND - Pass
Ethoprophos	0.10	ND - Pass
Etofenprox	0.10	ND - Pass
Etoxazole	1.50	ND - Pass
Fenhexamid	3.00	ND - Pass
Fenoxycarb	0.10	ND - Pass
Fenpyroximate	2.00	ND - Pass
Fipronil	0.10	ND - Pass
Flonicamid	2.00	ND - Pass

Analyte	Action Level	Result (µg/g)
Fludioxonil	3.00	ND - Pass
Hexythiazox	2.00	ND - Pass
Imazalil	0.10	ND - Pass
Imidacloprid	3.00	ND - Pass
Kresoxim methyl	1.00	ND - Pass
Malathion	2.00	ND - Pass
Metalaxyl	3.00	ND - Pass
Methiocarb	0.10	ND - Pass
Methomyl	0.10	ND - Pass
Methyl parathion*	0.10	ND - Pass
Mevinphos (I/II)	0.10	ND - Pass
Myclobutanil	3.00	ND - Pass
Naled	0.50	ND - Pass
Oxamyl	0.50	ND - Pass
Paclbutrazol	0.10	ND - Pass
Pentachloronitrobenzer	0.20	ND - Pass
Permethrin*	1.00	ND - Pass
Phosmet	0.20	ND - Pass
Piperonyl butoxide	3.00	ND - Pass
Prallethrin	0.40	ND - Pass
Propiconazole	1.00	ND - Pass
Propoxur	0.10	ND - Pass
Pyrethrins	1.00	ND - Pass
Pyridaben	3.00	ND - Pass
Spinetoram (J/L)	3.00	ND - Pass
Spinosad A + D	3.00	ND - Pass
Spiromesifen	3.00	ND - Pass
Spirotetramat	3.00	ND - Pass
Spiroxamine (I/II)	0.10	ND - Pass
Tebuconazole	1.00	ND - Pass
Thiacloprid	0.10	ND - Pass
Thiamethoxam	1.00	ND - Pass
Trifloxystrobin	3.00	ND - Pass

* Denotes analysis by GC-MS/MS

Analysis Batch: WO-21081704 & 21081704AA
Analysis Date (LC): 08/19/21 & 08/23/21
Analysis Date (GC): Thursday, August 19, 2021

Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32
Instrument: Agilent GC-MS/MS, Instrument 34

Comments:

None.

Authorization



Digitally signed by Steven Perez - ALLC
 DN: cn=Steven Perez - ALLC,
 o=Americanna Laboratories, LLC, ou,
 email=sperez@americannalab.com, c=US
 Date: 2021.08.27 20:24:07 -0400

Steven Perez, Laboratory Director

Approval Date: 27-Aug-2021

Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- continued -

MYCOTOXINS

Analyte	Action Limit	Result	Report	LOD	Unit
Aflatoxin, Total	0.020	ND	Pass	0.005	µg/g
Ochratoxin A	0.020	ND	Pass	0.005	µg/g

* Total Aflatoxin includes B1, B2, G1 and G2.

Analysis Batch: WO-21081704
Analysis Date: Thursday, August 19, 2021
Test Method: SOP 6.7
Instrument: Agilent LC-MS/MS, Instrument 32

RESIDUAL SOLVENTS

Analyte	Action Level	Result (µg/g)
1,2-Dichloroethane	5	ND - Pass
Acetone	5000	ND - Pass
Acetonitrile	410	ND - Pass
Benzene	2	ND - Pass
Butane	2000	ND - Pass
Chloroform	60	ND - Pass
Ethanol	5000	ND - Pass
Ethyl Acetate	5000	ND - Pass
Ethyl Ether	5000	ND - Pass
Ethylene Oxide	5	ND - Pass

Analyte	Action Level	Result (µg/g)
Heptane	5000	ND - Pass
Hexane	290	ND - Pass
Isopropyl Alcohol	500	ND - Pass
Methanol	3000	ND - Pass
Methylene Chloride	600	ND - Pass
Pentane	5000	ND - Pass
Propane	2100	69.7 - Pass
Toluene	890	ND - Pass
Trichloroethylene	80	ND - Pass
Xylenes, Total	2170	ND - Pass

LOD = 20 µg/g

Analysis Batch: WO-21081705
Analysis Date: Thursday, August 19, 2021
Test Method: SOP 6.8
Instrument: Agilent GC-FID/MS, Instrument 36

MICROBIAL CONTAMINANTS

Test	Report	Result	Specification
Shiga toxin-producing E.coli (STEC)	Pass	Absent	Absent in 1 g
Salmonella	Pass	Absent	Absent in 1 g
Listeria	Pass	Absent	Absent in 1 g

Analysis Batch: WO-21081702
Analysis Date: Friday, August 20, 2021
Test Method: SOP 6.11 (qPCR)
Instrument: Agilent AriaMX, Instrument 43

HEAVY METALS

Element	Report	Result	Action Limit	LOD	Unit
Lead	Pass	ND	0.50	0.050	µg/g
Arsenic	Pass	ND	1.5	0.050	µg/g
Mercury	Pass	ND	3.0	0.005	µg/g
Cadmium	Pass	ND	0.50	0.050	µg/g

Analysis Batch: WO-21081703
Analysis Date: Tuesday, August 17, 2021
Test Method: SOP 6.10
Instrument: Agilent ICP/MS, Instrument 37

Comments:

None.

Authorization

Digitally signed by Steven Perez - ALLC
 DN: cn=Steven Perez - ALLC,
 o=Americanna Laboratories, LLC, ou,
 email=sperez@americannalab.com, c=US
 Date: 2021.08.27 20:24:24 -0400'

Steven Perez, Laboratory Director

Approval Date: 27-Aug-2021



Test results are based solely upon the test article submitted to Americanna Laboratories, LLC in the condition it was received. Americanna Laboratories, LLC warrants that all analytical work was conducted in a professional manner in accordance with the requirements of ISO/IEC 17025:2017 (#102139), such as comparison to Certified Reference Materials and NIST traceable Reference Standards. This report shall not be reproduced, except in its entirety, without the written approval of Americanna Laboratories, LLC. Test results are confidential unless explicitly waived. Void after 1 year from test end date.

NA=Not Available or Applicable, ND=Not Detected, NT=Not Tested, ppm=Parts Per Million, ppb=Parts Per Billion. Limit of Detection (LOD) and Limit of Quantitation (LOQ) are terms used to describe the smallest concentration that can be reliably measured by an analytical procedure.

- end of report -